

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB252
A145

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



CLASSINGS THROUGH NOVEMBER 30, 2000

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	26	579	3,758	15,631	69,585	186,478	316,444	368,627	961,128
	3	17	476	3,600	13,244	34,769	79,745	143,316	189,048	464,215
	4	1	121	864	3,378	7,256	12,596	17,602	19,399	61,217
	5	-	11	130	409	927	1,676	1,877	1,774	6,804
	6	-	-	14	16	71	104	160	161	526
	7	-	-	1	1	2	-	9	15	28
TOTAL—		44	1,187	8,367	32,679	112,610	280,599	479,408	579,024	1,493,918
31	1-2	1	22	304	1,489	15,181	78,020	192,735	265,816	553,568
	3	-	68	986	4,413	23,420	131,781	434,221	763,605	1,358,494
	4	5	57	611	2,485	8,716	25,774	75,767	150,066	263,481
	5	-	28	175	681	2,072	4,431	7,009	10,399	24,795
	6	-	1	27	102	249	600	879	1,042	2,900
	7	-	-	-	5	9	46	83	89	232
TOTAL—		6	176	2,103	9,175	49,647	240,652	710,694	1,191,017	2,203,470
41	1-2	-	11	91	567	6,460	36,654	94,342	132,062	270,187
	3	2	60	454	2,942	19,322	108,448	364,675	671,375	1,167,278
	4	-	22	343	2,396	11,939	40,888	108,051	210,247	373,886
	5	-	7	139	1,109	5,004	14,327	22,034	24,139	66,759
	6	-	-	21	172	787	3,169	4,379	3,964	12,492
	7	-	-	2	4	43	272	243	230	794
TOTAL—		2	100	1,050	7,190	43,555	203,758	593,724	1,042,017	1,891,396
51	1-2	-	-	4	49	577	2,655	6,582	8,064	17,931
	3	-	1	5	130	1,658	10,321	30,310	46,463	88,888
	4	-	1	8	54	544	3,999	12,746	22,756	40,108
	5	-	1	1	12	184	1,106	3,011	4,201	8,516
	6	-	-	-	7	55	346	829	1,140	2,377
	7	-	-	1	-	3	41	79	154	278
TOTAL—		-	3	19	252	3,021	18,468	53,557	82,778	158,098
61	1-2	-	-	-	3	9	26	54	69	161
	3	-	1	1	4	45	182	356	334	923
	4	-	-	-	2	26	122	288	255	693
	5	-	-	-	-	2	19	46	73	140
	6	-	-	-	-	2	4	8	13	27
	7	-	-	-	-	-	-	2	2	4
TOTAL—		-	1	1	9	84	353	754	746	1,948
71	1-2	-	-	2	-	2	4	8	5	21
	3	-	1	-	-	1	5	16	18	41
	4	-	-	-	-	-	2	6	6	14
	5	-	-	-	-	-	1	4	3	8
	6	-	-	-	-	-	1	-	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL—		-	1	2	-	3	13	34	32	85
12 & 22	1-2	15	249	1,243	4,877	14,167	28,015	33,530	28,533	110,629
	3	30	287	1,324	4,483	11,203	19,433	25,570	24,533	86,863
	4	4	109	404	1,185	2,506	3,102	4,328	4,790	16,428
	5	-	16	94	283	406	455	401	364	2,019
	6	-	1	3	19	28	54	36	28	169
	7	-	-	-	-	-	-	3	2	5
TOTAL—		49	662	3,068	10,847	28,310	51,059	63,868	58,250	216,113
32	1-2	3	117	649	1,834	6,769	17,758	26,942	27,202	81,274
	3	24	374	2,177	6,531	18,239	41,396	65,228	71,597	205,566
	4	11	156	1,133	3,511	7,761	13,045	17,758	19,682	63,057
	5	5	27	204	668	1,390	2,319	2,392	1,858	8,863
	6	-	2	15	69	113	269	278	193	939
	7	-	-	1	2	3	16	19	28	69
TOTAL—		43	676	4,179	12,615	34,275	74,803	112,617	120,560	359,768
42	1-2	3	82	224	752	5,043	17,026	29,760	31,237	84,127
	3	29	291	1,532	6,203	23,799	75,203	151,389	188,391	446,837
	4	14	164	1,248	5,286	16,539	40,366	71,594	88,175	223,386
	5	1	41	357	1,494	4,414	9,900	12,990	10,195	39,392
	6	-	3	32	128	499	1,212	1,455	1,117	4,446
	7	-	-	-	6	20	73	70	45	214
TOTAL—		47	581	3,393	13,869	50,314	143,780	267,258	319,160	798,402
52	1-2	-	18	9	115	750	2,430	4,619	5,153	13,094
	3	2	67	176	637	3,445	15,816	33,645	37,309	91,097
	4	2	28	190	635	1,873	7,514	19,662	25,234	55,138
	5	-	3	46	254	775	1,836	3,544	4,192	10,650
	6	-	-	3	70	195	538	697	535	2,038
	7	-	-	1	9	18	74	85	50	237
TOTAL—		4	116	425	1,720	7,056	28,208	62,252	72,473	172,254

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	4	25	22	55	141	372	619
	3	-	3	17	36	79	293	506	530	1,464
	4	-	1	6	37	46	193	432	366	1,081
	5	-	-	1	1	16	40	108	110	276
	6	-	-	-	1	1	7	8	17	34
	7	-	-	-	-	2	7	-	3	12
TOTAL----		-	4	28	100	166	595	1,195	1,398	3,486
13 & 23	1-2	1	18	82	329	747	1,202	1,322	705	4,406
	3	-	8	66	323	789	1,264	1,332	930	4,712
	4	-	5	30	107	168	242	267	319	1,138
	5	-	-	3	28	33	30	34	47	175
	6	-	-	2	3	3	-	1	6	15
	7	-	-	-	-	-	-	-	-	-
TOTAL----		1	31	183	790	1,740	2,738	2,956	2,007	10,446
33	1-2	2	41	83	215	363	588	745	703	2,740
	3	5	70	230	582	1,277	1,896	2,011	1,746	7,817
	4	1	16	110	284	583	811	717	846	3,368
	5	-	1	29	48	98	142	149	199	666
	6	-	-	4	11	16	22	8	19	80
	7	-	-	-	3	1	8	3	1	16
TOTAL----		8	128	456	1,143	2,338	3,467	3,633	3,514	14,687
43	1-2	21	23	121	357	609	743	820	632	3,326
	3	30	102	458	1,248	2,732	4,179	4,953	4,328	18,030
	4	3	78	367	902	1,760	2,312	2,663	2,406	10,491
	5	-	21	82	279	464	516	433	385	2,180
	6	-	1	3	26	71	56	37	33	227
	7	-	-	4	-	11	7	1	-	23
TOTAL----		54	225	1,035	2,812	5,647	7,813	8,907	7,784	34,277
53	1-2	9	25	78	192	297	420	501	259	1,781
	3	44	188	464	821	1,419	2,140	2,874	2,103	10,053
	4	2	34	205	536	709	1,101	1,646	1,459	5,692
	5	-	3	47	206	312	294	393	333	1,588
	6	-	-	-	41	82	123	107	59	412
	7	-	1	-	5	7	12	15	5	45
TOTAL----		55	251	794	1,801	2,826	4,090	5,536	4,218	19,571
63	1-2	5	31	15	17	33	89	83	46	319
	3	1	17	85	154	135	262	251	144	1,049
	4	1	3	22	94	69	79	86	85	439
	5	-	-	-	8	31	11	26	25	101
	6	-	1	-	2	4	1	1	10	19
	7	-	-	2	-	4	3	1	-	10
TOTAL----		7	52	124	275	276	445	448	310	1,937
24-54	1-7	-	15	85	206	313	426	558	632	2,235
25-35	1-7	-	-	-	-	-	-	1	2	3
81-85 1/	1-7	-	6	10	75	88	140	169	85	573
	8 2/	-	-	11	19	46	95	126	127	424
TOTAL, ALL----		320	4,215	25,333	95,577	342,315	1,061,502	2,367,695	3,486,134	7,383,091

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	357,945	330,583	226,944	45,534	7,242	410	968,658	1,929,786
	3	184,793	175,420	160,901	35,217	5,369	493	562,193	1,026,408
	4	15,790	11,050	9,736	2,420	451	15	39,462	100,679
	5	917	377	268	90	42	2	1,696	8,500
	6	89	10	2	2	-	-	103	629
	7	6	-	-	-	-	-	6	34
	TOTAL—	559,540	517,440	397,851	83,263	13,104	920	1,572,118	3,066,036
31	1-2	197,714	87,875	37,940	6,154	753	23	330,459	884,027
	3	722,765	349,463	145,190	25,525	2,973	176	1,246,092	2,604,586
	4	167,269	91,937	35,034	5,933	1,021	38	301,232	564,713
	5	8,517	4,007	1,538	494	166	5	14,727	39,522
	6	649	191	49	22	7	1	919	3,819
	7	33	4	-	-	-	-	37	269
	TOTAL—	1,096,947	533,477	219,751	38,128	4,920	243	1,893,466	4,096,936
41	1-2	80,919	25,707	7,976	737	40	1	115,380	385,567
	3	561,081	216,554	55,905	6,877	709	32	841,158	2,008,436
	4	230,474	123,342	39,317	5,122	619	20	398,894	772,780
	5	18,818	10,348	4,030	731	113	5	34,045	100,804
	6	1,859	698	229	54	30	3	2,873	15,365
	7	84	30	9	1	-	-	124	918
	TOTAL—	893,235	376,679	107,466	13,522	1,511	61	1,392,474	3,283,870
51	1-2	4,002	1,147	268	21	-	-	5,438	23,369
	3	30,754	10,452	2,761	268	14	3	44,252	133,140
	4	19,892	9,082	2,861	314	139	1,109	33,397	73,505
	5	3,064	1,802	811	91	11	-	5,779	14,295
	6	516	148	72	6	2	-	744	3,121
	7	77	13	9	1	-	-	100	378
	TOTAL—	58,305	22,644	6,782	701	46	3	88,481	246,579
61	1-2	47	40	14	3	-	-	104	265
	3	240	119	71	9	-	-	439	1,362
	4	161	104	59	18	-	-	342	1,035
	5	49	29	10	2	-	-	90	230
	6	11	4	2	-	-	-	17	44
	7	2	1	-	-	-	-	3	7
	TOTAL—	510	297	156	32	-	-	995	2,943
71	1-2	6	10	2	2	-	-	20	41
	3	9	10	7	1	1	-	28	69
	4	2	5	1	-	-	-	8	22
	5	1	1	1	1	-	-	4	12
	6	-	-	-	-	-	-	-	1
	7	-	-	-	-	-	-	-	-
	TOTAL—	18	26	11	4	1	-	60	145
12 & 22	1-2	14,835	6,357	2,150	539	170	43	24,094	134,723
	3	12,738	4,852	2,252	560	99	33	20,534	107,397
	4	2,948	1,142	503	193	11	1	4,798	21,226
	5	218	109	32	15	4	-	378	2,397
	6	14	10	2	-	-	-	26	195
	7	-	-	1	-	-	-	1	6
	TOTAL—	30,753	12,470	4,940	1,307	284	77	49,831	265,944
32	1-2	13,017	2,733	890	247	65	27	16,979	98,253
	3	42,668	11,365	2,560	612	116	28	57,349	262,915
	4	14,333	5,278	1,236	264	37	4	21,152	84,209
	5	1,422	546	179	32	6	2	2,187	11,050
	6	130	90	11	1	1	-	233	1,172
	7	18	17	1	-	-	-	36	105
	TOTAL—	71,588	20,029	4,877	1,156	225	61	97,936	457,704
42	1-2	14,245	2,294	251	48	19	10	16,867	100,994
	3	109,858	25,553	2,374	194	49	38	138,066	584,903
	4	64,239	20,151	2,522	159	14	1	87,086	310,472
	5	6,385	2,358	327	32	4	-	9,106	48,498
	6	576	183	31	2	1	2	795	5,241
	7	29	21	5	1	-	-	56	270
	TOTAL—	195,332	50,560	5,510	436	87	51	251,976	1,050,378
52	1-2	1,714	253	15	4	-	2	1,988	15,082
	3	18,545	3,749	286	21	5	2	22,608	113,705
	4	16,548	4,649	559	21	1	-	21,778	76,916
	5	3,012	1,189	165	6	-	-	4,372	15,022
	6	272	95	15	-	-	-	382	2,420
	7	19	-	1	-	-	-	20	257
	TOTAL—	40,110	9,935	1,041	52	6	4	51,148	223,402

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	282	27	2	-	1	-	312	931
	3	365	80	14	2	3	-	464	1,928
	4	145	36	17	1	1	-	200	1,281
	5	66	21	13	2	-	-	102	378
	6	32	13	4	-	-	-	49	83
	7	6	-	-	-	-	-	6	18
TOTAL—		896	177	50	5	5	-	1,133	4,619
13 & 23	1-2	426	251	129	21	2	3	832	5,238
	3	491	187	88	21	4	1	792	5,504
	4	152	49	13	3	-	-	217	1,355
	5	21	1	2	-	-	-	24	199
	6	1	1	-	-	-	-	2	17
	7	-	-	-	-	-	-	-	-
TOTAL—		1,091	489	232	45	6	4	1,867	12,313
33	1-2	574	442	256	25	2	5	1,304	4,044
	3	1,024	590	412	35	5	6	2,072	9,889
	4	543	235	96	27	5	2	908	4,276
	5	136	34	17	5	-	-	192	858
	6	15	7	1	-	-	1	24	104
	7	2	-	1	-	-	-	3	19
TOTAL—		2,294	1,308	783	92	12	14	4,503	19,190
43	1-2	257	92	25	2	1	-	377	3,703
	3	2,168	619	155	9	2	-	2,953	20,983
	4	1,200	456	86	12	-	1	1,755	12,246
	5	186	53	13	2	1	-	255	2,435
	6	29	6	3	-	-	-	38	265
	7	1	7	4	-	-	-	12	35
TOTAL—		3,841	1,233	286	25	4	1	5,390	39,667
53	1-2	98	26	2	-	-	-	126	1,907
	3	729	180	18	2	-	-	929	10,982
	4	569	185	19	1	1	-	775	6,467
	5	120	34	3	-	-	-	157	1,745
	6	10	2	1	-	-	-	13	425
	7	1	2	-	-	-	-	3	48
TOTAL—		1,527	429	43	3	1	-	2,003	21,574
63	1-2	13	6	-	-	-	-	19	338
	3	48	13	2	-	-	-	63	1,112
	4	24	14	-	-	-	-	38	477
	5	3	1	-	-	-	-	4	105
	6	7	2	-	-	-	-	9	28
	7	-	-	-	-	-	-	-	10
TOTAL—		95	36	2	-	-	-	133	2,070
24-54	1-7	441	324	190	28	-	1	984	3,219
25-35	1-7	-	-	-	-	-	-	-	3
81-85 1/	1-7	69	48	34	1	-	-	152	725
	8 2/	66	15	4	4	-	4	93	517
TOTAL, ALL—		2,956,658	1,547,616	750,009	138,804	20,212	1,444	5,414,743	12,797,834
EXTRANEEOUS MATTER		Average Staple -----							34.2
		Percent Tenderable -----							67.0
Bark - Level 1		422,556							
Bark - Level 2		351							
Grass - Level 1		106,827							
Grass - Level 2		608							
Prep - Level 1		13,072							
Prep - Level 2		33							
Other - Level 1		14,451							
Other - Level 2		7							

12,797,834 bales classed, includes 16,422 of Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.5	1.5	2.5	2.9	2.8	2.6	1.8	0.4	0.1	*	15.1
	3	*	*	*	0.1	0.3	0.6	1.1	1.5	1.4	1.4	1.3	0.3	*	*	8.0
	4	*	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	0.8
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	-	*	*	*	-	-	-	-	-	*
TOTAL---		*	*	0.1	0.3	0.9	2.2	3.7	4.5	4.4	4.0	3.1	0.7	0.1	*	24.0
31	1-2	*	*	*	*	0.1	0.6	1.5	2.1	1.5	0.7	0.3	*	*	*	6.9
	3	-	*	*	*	0.2	1.0	3.4	6.0	5.6	2.7	1.1	0.2	*	*	20.4
	4	*	*	*	*	0.1	0.2	0.6	1.2	1.3	0.7	0.3	*	*	*	4.4
	5	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL---		*	*	*	0.1	0.4	1.9	5.6	9.3	8.6	4.2	1.7	0.3	*	*	32.0
41	1-2	-	*	*	*	*	0.3	0.7	1.0	0.6	0.2	0.1	*	*	*	3.0
	3	*	*	*	*	0.2	0.8	2.8	5.2	4.4	1.7	0.4	*	*	*	15.7
	4	-	*	*	*	0.1	0.3	0.8	1.6	1.8	1.0	0.3	*	*	*	6.0
	5	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		*	*	*	0.1	0.3	1.6	4.6	8.1	7.0	2.9	0.8	0.1	*	*	25.7
51	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	*	1.0
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	*	*	*	*	0.1	0.4	0.6	0.5	0.2	*	*	*	*	1.9
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	1.1
	3	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	*	*	0.2	0.1	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
TOTAL---		*	*	*	0.1	0.2	0.4	0.5	0.5	0.2	0.1	*	*	*	*	2.1
32	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.8
	3	*	*	*	*	0.1	0.3	0.5	0.6	0.3	0.1	*	*	*	*	2.1
	4	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	*	*	0.7
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		*	*	*	0.1	0.3	0.6	0.9	0.9	0.6	0.2	*	*	*	*	3.6
42	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.8
	3	*	*	*	*	0.2	0.6	1.2	1.5	0.9	0.2	*	*	*	*	4.6
	4	*	*	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	*	*	*	2.4
	5	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL---		*	*	*	0.1	0.4	1.1	2.1	2.5	1.5	0.4	*	*	*	*	8.2
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	*	0.1
	3	*	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	*	0.9
	4	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	-	*	-	-	-	*
TOTAL---		*	*	*	*	0.1	0.2	0.5	0.6	0.3	0.1	*	*	*	*	1.7

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	TOTAL—	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	*	*	*	-	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3
53	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		*	*	0.2	0.7	2.7	8.3	18.5	27.2	23.1	12.1	5.9	1.1	0.2	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.2
		Percent Tenderable														67.0
Bark - Level 1		3.3														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

12,797,834 bales classed includes 16,422 of Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.4	1.6	3.1	3.0	1.3	0.3	*	*	-	-	9.8
	3	-	*	*	*	0.2	0.8	2.0	2.5	1.4	0.4	*	*	-	-	7.3
	4	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	-	-	-	0.7
	5	-	-	-	-	*	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	*	0.7	2.5	5.3	5.8	2.8	0.8	0.1	*	-	-	17.9
31	1-2	-	-	*	*	0.3	1.2	2.5	2.4	0.9	0.1	*	*	-	-	7.5
	3	-	-	*	*	0.5	3.1	8.6	10.2	5.0	1.1	0.1	*	-	-	28.7
	4	-	*	*	*	0.1	0.5	1.5	2.3	1.4	0.4	*	*	-	-	6.4
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	*	0.9	5.0	12.8	15.0	7.4	1.7	0.2	*	-	-	42.9
41	1-2	-	*	*	*	0.1	0.4	0.7	0.6	0.1	*	*	-	-	-	2.0
	3	-	-	*	*	0.3	2.0	5.4	6.0	3.0	0.6	*	-	-	-	17.3
	4	-	-	*	-	0.1	0.5	1.5	2.7	1.9	0.5	*	-	-	-	7.3
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	*	0.4	3.0	7.8	9.5	5.2	1.2	0.1	-	-	-	27.1
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	*	*	-	-	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	-	1.0
32	1-2	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.7
	3	-	*	*	*	0.1	0.5	0.8	0.7	0.2	*	*	-	-	-	2.4
	4	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	*	0.2	0.7	1.2	1.1	0.4	0.1	*	*	-	-	3.7
42	1-2	-	*	*	*	*	0.2	0.2	0.1	*	*	-	-	-	-	0.5
	3	*	-	-	*	0.2	0.8	1.2	1.1	0.3	0.1	*	-	-	-	3.7
	4	-	-	-	-	*	0.2	0.3	0.4	0.2	*	*	-	-	-	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	*	*	0.3	1.2	1.7	1.6	0.6	0.1	*	-	-	-	5.4
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
53	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		*	*	*	0.1	2.6	12.9	29.6	33.7	16.7	3.9	0.4	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.6															
Bark - Level 2	*															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	"															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

460,079 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 4. -- *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	1.3	7.2	20.3	21.0	9.1	0.8	*	*	59.9
	3	-	-	-	-	*	*	0.1	0.6	2.0	2.2	1.0	0.1	*	-	5.9
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	1.3	7.8	22.5	23.5	10.2	0.9	*	*	66.4
31	1-2	-	-	-	-	*	*	0.2	1.0	2.6	2.7	1.3	0.1	*	-	8.0
	3	-	-	-	-	*	*	0.1	0.5	1.1	1.6	0.8	*	*	-	4.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.3	1.7	4.0	4.6	2.2	0.1	*	-	13.0
41	1-2	-	-	-	-	*	*	0.1	0.6	1.6	1.8	1.0	0.1	*	-	5.2
	3	-	-	-	-	*	*	0.1	0.7	1.8	2.4	1.3	0.1	*	-	6.4
	4	-	-	-	-	*	*	*	0.1	0.4	0.5	0.3	*	*	-	1.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	1.5	3.8	4.8	2.6	0.2	*	-	13.1
51	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	0.3	0.4	0.5	0.2	*	*	-	1.4
61	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.5	1.1	0.9	0.2	*	*	-	2.9
	3	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	1.0
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.7	1.5	1.4	0.4	*	*	-	4.1
32	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.3	0.3	0.3	0.2	*	*	-	1.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
8 2/	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	*	0.3	2.3	12.4	32.7	35.2	15.8	1.3	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.4															
Bark - Level 2	"															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

371,646 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.4	1.3	1.2	0.4	*	*	-	-	3.5
	3	-	-	-	-	*	*	0.2	1.0	1.6	0.7	0.1	*	-	-	3.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.6	2.3	3.0	1.2	0.1	*	-	-	7.3
31	1-2	-	-	-	*	*	0.1	0.9	3.1	3.2	0.9	0.1	*	-	-	8.2
	3	-	-	-	*	*	0.2	1.9	8.5	12.2	4.5	0.3	*	-	-	27.5
	4	-	-	-	-	*	*	0.2	1.0	2.5	1.5	0.2	*	-	-	5.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	2.9	12.6	18.0	6.9	0.6	*	-	-	41.3
41	1-2	-	-	-	*	*	0.1	0.4	1.5	1.3	0.3	*	-	-	-	3.6
	3	-	-	-	*	*	0.3	1.9	7.7	9.4	2.8	0.2	*	-	-	22.2
	4	-	-	-	*	*	0.1	0.5	2.1	3.8	2.1	0.2	*	-	-	8.9
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.4	2.8	11.5	14.9	5.4	0.5	*	-	-	35.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.6	0.7	0.2	*	*	-	-	1.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.4	1.1	0.9	0.2	*	*	-	-	2.6
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.6	1.5	1.3	0.3	*	*	-	-	3.9
42	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.8	1.9	1.6	0.4	*	*	-	-	4.9
	4	-	-	-	-	*	*	0.3	0.7	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	1.2	2.9	2.7	0.7	0.1	*	-	-	7.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	*	-	-	1.2

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		-	-	-	*	0.1	1.2	8.9	32.4	41.2	15.0	1.3	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														Average Staple 34.6
Bark - Level 2		*														Percent Tenderable 77.9
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,384,921 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	■	-	*	0.1	0.8	2.9	6.5	11.2	10.5	2.6	0.4	■	35.2
	3	-	-	-	-	*	■	0.2	0.7	2.4	7.1	8.8	2.2	0.3	■	21.8
	4	-	-	-	-	-	■	■	*	0.1	0.2	0.3	0.1	■	■	0.7
	5	-	-	-	-	-	-	-	*	■	■	■	*	■	-	■
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	*	0.2	1.0	3.6	9.0	18.5	19.6	4.9	0.8	0.1	57.7
31	1-2	-	-	-	-	*	*	0.2	0.7	1.5	2.5	1.8	0.3	*	*	7.1
	3	-	-	-	-	*	*	0.1	0.6	2.4	6.7	7.2	1.6	0.2	*	18.9
	4	-	-	-	-	*	*	*	0.1	0.3	0.8	1.2	0.3	*	*	2.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.4	1.3	4.2	10.0	10.2	2.3	0.3	*	28.8
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9
	3	-	-	-	-	*	*	0.1	0.4	1.3	3.0	2.1	0.4	*	*	7.2
	4	-	-	-	-	-	*	*	0.1	0.5	1.3	1.1	0.2	*	*	3.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.6	2.0	4.6	3.4	0.7	0.1	*	11.4
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	*	0.6
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*

■ Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	-	*	*	*	-	-	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL, ALL----		-	-	*	-	*	0.3	1.6	5.7	15.5	33.7	33.8	8.0	1.2	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														Average Staple 36.2
Bark - Level 2		*														Percent Tenderable 90.2
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.9														
Other - Level 1		-														

1,435,173 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.3	1.3	1.5	0.3	*	-	-	-	3.4
	3	-	-	-	-	-	0.1	0.4	1.6	2.1	0.7	0.1	-	-	-	5.0
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.7	2.9	3.7	1.0	0.1	-	-	-	8.6
31	1-2	-	-	-	-	*	0.2	1.0	3.4	2.3	0.3	*	-	-	-	7.3
	3	-	-	-	-	*	0.5	4.3	14.9	12.5	2.5	0.2	-	-	-	35.0
	4	-	-	-	-	*	*	0.2	0.9	1.2	0.5	0.1	-	-	-	3.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.7	5.6	19.2	16.1	3.4	0.3	-	-	-	45.3
41	1-2	-	-	-	*	*	*	0.3	0.7	0.5	0.1	*	-	-	-	1.7
	3	-	-	-	*	*	0.6	3.4	9.7	7.5	1.7	0.2	*	-	-	23.1
	4	-	-	-	-	*	0.1	0.7	2.3	2.5	0.8	0.1	-	-	-	6.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.8	4.4	12.8	10.6	2.6	0.3	*	-	-	31.5
51	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.2	0.7	0.6	0.2	*	-	-	-	1.7
	4	-	-	-	-	*	*	*	0.3	0.2	0.1	*	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.3	1.0	0.9	0.3	*	-	-	-	2.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.5	0.9	0.4	0.1	*	-	-	-	2.0
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.2	0.6	1.1	0.5	0.1	*	-	-	-	2.6
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	*	*	0.5	1.3	1.8	0.9	0.1	*	-	-	-	4.8
	4	-	-	-	-	*	0.3	0.6	1.0	0.5	0.1	*	-	-	-	2.5
	5	-	-	-	-	-	*	*	0.1	*	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.9	2.0	3.0	1.4	0.2	*	*	-	-	7.6
52	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	*	-	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	-	-	0.9

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		LEAF	STAPLE														TOTAL		
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*			
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*			
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	*	-	*	*	*	-	-	-	-	-	*		
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*			
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1			
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	*	*	*	0.1	*	-	-	-	-	-	0.2		
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*			
	3	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.4			
	4	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2			
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	-	-	0.6		
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*			
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL, ALL----			-	-	-	*	0.2	2.7	14.0	41.0	33.6	7.7	0.7	*	-	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.3	
																	Percent Tenderable	58.1	
Bark - Level 1			2.1																
Bark - Level 2			*																
Grass - Level 1			0.9																
Grass - Level 2			*																
Prep - Level 1			0.1																
Prep - Level 2			-																
Other - Level 1			-																
Other - Level 1			-																

75,202 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.4
	3	-	-	-	*	*	0.1	0.3	1.0	1.3	0.6	0.1	*	-	-	3.5
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.5	1.5	1.9	0.9	0.1	*	-	-	5.0
31	1-2	-	-	-	*	*	0.2	0.6	1.3	1.0	0.3	*	*	-	-	3.5
	3	-	-	-	*	0.1	0.9	3.9	8.9	9.0	3.3	0.6	*	*	-	26.7
	4	-	-	-	*	*	*	0.2	0.6	0.9	0.5	0.1	*	-	-	2.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.1	4.7	10.9	10.9	4.1	0.7	*	*	-	32.6
41	1-2	-	-	-	*	*	0.2	0.6	0.7	0.3	0.1	*	*	-	-	1.9
	3	-	-	-	*	0.2	1.8	6.5	11.4	8.2	2.6	0.5	*	-	-	31.3
	4	-	-	-	*	*	0.2	1.0	2.3	2.3	1.0	0.2	*	-	-	6.9
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.3	2.2	8.1	14.5	10.9	3.7	0.7	*	-	-	40.4
51	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.3	0.9	1.0	0.5	0.1	*	-	-	-	2.9
	4	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	-	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.5	1.2	1.5	0.8	0.2	*	-	-	-	4.3
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.8
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	0.3	0.3	0.2	*	*	-	-	-	1.1
42	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	3	-	-	*	*	0.3	1.2	2.4	2.5	1.0	0.2	*	*	-	-	7.6
	4	-	-	-	*	*	0.2	0.7	1.0	0.5	0.1	*	-	-	-	2.6
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	0.3	1.5	3.3	3.6	1.6	0.3	*	*	-	-	10.8
52	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.1	0.7	1.2	0.8	0.2	*	*	*	-	-	3.1
	4	-	-	-	*	*	0.2	0.6	0.5	0.2	*	*	-	-	-	1.6
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.2	1.0	1.8	1.4	0.5	0.1	*	*	-	-	5.1

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	3		-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	4		-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	5		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	6		-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	-	*	*	*	*	*	-	-	-	-	-	*		
13 & 23	1-2		-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	3		-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	4		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	-	-	-	*	*	*	*	*	-	-	-	*		
33	1-2		-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3		-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	-	*	*	*	*	*	*	*	-	-	-	*		
43	1-2		-	-	*	*	*	*	*	*	*	-	-	-	-	*		
	3		-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2		
	4		-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	6		-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4		
53	1-2		-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3		-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2		
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	7		-	-	-	-	-	-	*	-	-	-	-	-	-	*		
TOTAL----			-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4		
63	1-2		-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	3		-	-	*	-	*	*	*	*	-	-	-	-	-	*		
	4		-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----			-	-	-	-	*	*	*	*	-	-	-	-	-	*		
24-54	1-7		-	-	-	-	*	*	*	*	*	-	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/	1-7		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
8 2/	8 2/		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
TOTAL, ALL----			-	-	*	0.1	1.1	6.8	20.4	33.9	26.8	9.3	1.6	*	*	-	100.0	
EXTRANEEOUS MATTER																	Average Staple	34.1
																	Percent Tenderable	88.8
Bark - Level 1			1.9															
Bark - Level 2			"															
Grass - Level 1			1.6															
Grass - Level 2			"															
Prep - Level 1			0.3															
Prep - Level 2			"															
Other - Level 1			"															
Other - Level 1			"															

1,161,228 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.0	3.0	4.3	3.1	1.0	0.1	*	*	*	-	12.6
	3	-	-	-	*	0.1	0.5	0.8	0.8	0.4	0.1	*	*	*	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	1.1	3.5	5.1	4.0	1.5	0.2	0.1	*	*	-	15.5
31	1-2	-	-	-	*	0.2	1.5	3.6	4.3	2.1	0.4	*	*	*	-	12.2
	3	-	-	-	*	0.1	0.6	2.1	3.8	3.2	1.1	0.2	*	*	-	11.1
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	0.4	2.1	5.8	8.4	5.8	1.7	0.3	*	*	-	24.5
41	1-2	-	-	-	*	0.1	1.1	3.0	3.9	1.9	0.4	*	*	*	-	10.4
	3	-	-	-	*	0.1	1.1	4.4	8.5	6.4	2.0	0.3	*	-	-	22.8
	4	-	-	-	-	*	0.1	0.5	1.5	1.8	0.9	0.2	*	*	-	5.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	0.2	2.3	7.9	13.9	10.3	3.3	0.5	0.1	*	-	38.5
51	1-2	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	*	0.2	0.9	1.5	1.0	0.3	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL---	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	1.8
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	0.2	0.5	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	*	-	-	1.4
	3	-	-	-	-	0.1	0.5	1.3	1.8	1.1	0.3	*	-	-	-	5.0
	4	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.1	0.8	2.1	3.1	2.1	0.5	*	*	-	-	8.7
52	1-2	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL---	-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3

* Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.2
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL, ALL---		-	-	-	*	2.2	10.1	24.2	33.9	22.1	6.3	1.0	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														Average Staple 33.9
Bark - Level 2		*														Percent Tenderable 61.2
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

911,921 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. — **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.3	1.1	1.4	1.1	0.5	0.1	*	-	-	-	4.6
	3	-	-	-	*	0.1	0.4	0.6	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	0.4	1.5	2.1	1.9	0.9	0.3	*	*	-	*	7.1
31	1-2	-	-	-	*	0.1	0.7	2.1	2.7	1.4	0.3	*	*	-	-	7.4
	3	-	-	-	*	0.1	0.7	2.7	4.8	3.5	1.0	0.1	*	-	-	12.9
	4	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	0.2	1.6	5.0	8.1	5.6	1.5	0.2	*	-	-	22.3
41	1-2	-	-	-	*	0.1	0.7	1.7	2.1	0.9	0.1	*	-	-	-	5.7
	3	-	-	-	*	0.1	1.1	4.8	9.0	6.1	1.6	0.1	*	-	-	22.8
	4	-	-	-	*	*	0.2	0.9	2.4	2.6	1.0	0.1	*	-	-	7.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	0.3	2.0	7.4	13.5	9.7	2.8	0.3	*	-	-	36.0
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.7	0.5	0.1	*	*	-	-	1.8
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	0.7	1.2	0.9	0.2	*	*	-	-	3.2
61	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	0.1	0.4	0.6	0.6	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.5	0.3	*	*	-	-	-	1.6
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	0.1	0.6	1.3	1.7	1.1	0.3	*	*	-	-	5.1
42	1-2	-	-	-	*	0.1	0.4	0.8	0.8	0.4	*	*	*	-	-	2.6
	3	-	-	-	*	0.2	1.0	2.7	4.0	2.5	0.6	*	*	-	-	11.0
	4	-	-	-	*	*	0.2	0.9	1.8	1.6	0.6	0.1	*	-	-	5.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	0.3	1.6	4.4	6.7	4.6	1.4	0.1	*	-	-	19.2
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.5	0.8	0.4	0.1	*	-	-	-	2.0
	4	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	-	-	-	1.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	1.0	1.5	1.0	0.3	*	*	-	-	4.2

* Less than 0.05 percent.

Table 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
8 2/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	1.6	8.3	22.7	35.6	24.3	6.8	0.7	*	-	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.0
		Percent Tenderable														58.0
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,662,605 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.5	0.5	*	*	-	-	3.0
	3	-	-	-	-	*	*	0.1	0.8	1.9	0.8	0.1	*	-	-	3.7
	4	-	-	-	-	*	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	1.7	3.6	1.4	0.1	*	-	-	7.0
31	1-2	-	-	-	-	*	*	0.6	3.2	4.2	1.3	0.1	*	-	-	9.5
	3	-	-	-	-	*	*	1.0	7.2	13.7	5.5	0.5	*	-	-	27.9
	4	-	-	-	-	*	*	0.1	0.8	2.0	1.0	0.1	*	-	-	4.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	1.7	11.3	20.0	7.8	0.7	*	-	-	41.5
41	1-2	-	-	-	-	*	*	0.4	1.5	1.7	0.5	*	*	-	-	4.3
	3	-	-	-	-	*	0.1	1.3	7.3	11.0	4.0	0.4	*	-	-	24.1
	4	-	-	-	-	*	*	0.3	1.7	2.9	1.2	0.1	*	-	-	6.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	2.0	10.6	15.7	5.7	0.6	*	-	-	34.8
51	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.4	0.4	0.1	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	0.1	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.2	0.6	0.7	0.1	*	-	-	-	-	1.6
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	0.1	0.2	*	*	-	-	-	-	0.4
32	1-2	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.8
	3	-	-	-	-	*	*	0.2	1.0	1.0	0.3	*	-	-	-	2.5
	4	-	-	-	-	-	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.3	1.6	1.6	0.4	*	-	-	-	-	3.9
42	1-2	-	-	-	-	*	*	0.2	0.5	0.3	*	*	-	-	-	1.0
	3	-	-	-	-	*	*	0.7	2.7	2.3	0.4	*	-	-	-	6.1
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.2	*	-	-	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	1.0	3.9	3.5	0.7	*	-	-	-	9.2
52	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.2	0.7	0.5	0.1	*	-	-	-	-	1.4

* Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3		-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5		-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	*	-	-	-	-	*		
13 & 23	1-2		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3		-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	4		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	-	-	-	-	*		
33	1-2		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	-	*	-	-	*		
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	-	*	-	-	*		
43	1-2		-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	-	-	-	-	0.1		
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5		-	-	-	-	-	-	*	-	*	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	*	*	*	*	*	-	-	-	-	0.1		
53	1-2		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5		-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	*	-	-	-	-	*		
63	1-2		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3		-	-	*	-	-	-	*	*	*	-	-	-	-	*		
	4		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	-	-	-	-	*		
24-54	1-7		-	-	-	-	-	-	*	*	*	-	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL----			-	-	-	-	*	0.3	5.6	30.5	45.7	16.4	1.5	*	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.8
																	Percent Tenderable	82.5
Bark - Level 1			0.3															
Bark - Level 2			-															
Grass - Level 1			0.8															
Grass - Level 2			-															
Prep - Level 1			-															
Prep - Level 2			-															
Other - Level 1			-															
Other - Level 1			-															

496,859 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.8	2.0	7.0	13.7	17.2	5.7	1.2	*	47.6
	3	-	-	-	-	*	*	0.7	0.4	0.9	2.4	5.5	3.5	1.2	*	14.5
	4	-	-	-	-	-	-	*	0.1	0.1	0.3	1.4	1.3	0.5	*	3.7
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	*	0.1	1.6	2.5	8.0	16.3	24.1	10.6	2.9	0.1	66.2
31	1-2	-	-	-	-	*	*	0.2	0.5	1.4	3.5	3.0	0.8	0.1	-	9.5
	3	-	-	-	-	*	*	0.2	0.3	0.9	1.1	1.5	1.1	0.2	-	5.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.5	2.1	2.4	0.9	*	6.2
	5	-	-	-	-	-	*	*	*	*	0.1	0.5	0.8	0.3	*	1.8
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	*	*	0.5	0.9	2.5	5.2	7.2	5.2	1.6	0.1	23.2
41	1-2	-	-	-	-	-	-	*	*	0.3	0.4	0.2	*	*	-	1.0
	3	-	-	-	-	-	-	*	0.1	0.3	0.3	0.3	0.1	*	-	1.1
	4	-	-	-	-	-	-	*	*	0.1	0.2	1.0	0.9	0.2	*	2.3
	5	-	-	-	-	-	-	*	-	*	*	0.5	0.8	0.2	*	1.5
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	TOTAL---	-	-	-	-	-	-	0.1	0.2	0.6	0.9	2.0	2.0	0.5	*	6.2
51	1-2	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	0.1	0.4	*	*	-	0.5
	3	-	-	-	-	-	-	*	-	*	0.2	0.5	0.1	*	-	1.0
	4	-	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	0.6
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	*	*	0.1	0.4	1.2	0.3	0.1	*	2.1
32	1-2	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	0.5
	4	-	-	-	-	-	-	*	-	*	*	0.2	0.2	*	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	1.2
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL---	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 12. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		November 30, 2000														
COLOR	LEAF	STAPLE														
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	0.1	*	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	0.2	*	*	*	0.4
43	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	*	0.1	2.1	3.6	11.4	23.2	35.4	18.6	5.2	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		*														
Other - Level 1		-														
Other - Level 1		-														
			Average Staple 36.6													
			Percent Tenderable 85.1													

39,202 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 13. — *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.9
	3	-	-	-	*	*	0.4	1.4	1.8	1.3	0.4	*	*	-	-	5.4
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.5	1.8	2.3	1.6	0.5	*	*	-	-	6.7
31	1-2	-	-	-	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	-	1.4
	3	-	-	-	*	0.1	2.0	9.2	15.7	14.5	5.6	0.7	*	-	-	47.8
	4	-	-	-	*	*	0.5	3.2	6.7	6.3	2.7	0.4	*	-	-	19.9
	5	-	-	-	-	*	*	0.3	0.5	0.3	0.1	*	-	-	-	1.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	2.7	13.1	23.4	21.5	8.5	1.1	*	-	-	70.6
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	1.3	2.9	3.4	1.6	0.3	*	-	-	9.8
	4	-	-	-	*	*	0.2	1.1	2.8	3.2	1.8	0.4	*	-	-	9.5
	5	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.2
	6	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.4	2.7	6.3	7.1	3.6	0.7	*	-	-	20.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 13. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.2	3.8	17.9	32.6	30.7	12.8	1.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.5															Average Staple 34.4
Bark - Level 2	"															Percent Tenderable 86.6
Grass - Level 1	3.2															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

831,751 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	0.2	0.5	0.7	1.1	3.6	9.2	14.9	17.8	9.9	0.5	*	-	58.3
	3	-	*	0.2	0.5	0.7	0.6	0.7	1.0	1.7	1.6	0.6	*	*	-	7.7
	4	-	*	0.1	0.2	0.3	0.2	0.1	0.1	0.1	0.1	*	*	-	-	1.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	0.1	0.5	1.2	1.6	2.0	4.4	10.2	16.7	19.5	10.6	0.5	*	-	67.3
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.6	0.4	*	*	-	1.6
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	0.7
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	*	*	0.1	0.1	0.1	0.2	0.3	0.6	0.8	0.5	*	*	-	2.7
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	0.1	*	*	*	-	*	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	TOTAL---	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.4
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	*	-	-	0.9
	4	-	-	-	*	-	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	0.1	0.3	0.5	0.3	0.2	*	*	-	-	1.4
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	*	0.1	0.3	0.4	0.3	0.6	1.1	1.1	0.6	0.2	*	-	-	4.7
	3	-	*	0.1	0.3	0.4	0.3	0.3	0.5	0.5	0.3	0.1	*	-	-	2.8
	4	-	*	*	0.1	0.2	0.1	*	0.1	0.1	0.1	*	-	-	-	0.7
	5	-	-	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	0.1	0.3	0.7	1.0	0.7	0.9	1.7	1.7	0.9	0.4	*	-	-	8.3
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.6
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.8
	4	-	*	*	*	*	*	*	*	0.1	*	*	*	-	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	TOTAL---	-	*	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.2	*	-	-	2.1
42	1-2	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	3	-	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	*	-	-	1.1
	4	-	*	*	*	*	*	0.1	*	*	-	*	-	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL---	-	*	0.1	0.2	0.3	0.5	0.4	0.1	*	*	*	*	-	-	1.8
52	1-2	-	-	*	*	0.1	0.2	0.5	0.4	0.1	*	*	-	-	-	1.4
	3	-	*	*	0.1	0.2	0.5	1.2	1.0	0.2	*	*	-	-	-	3.2
	4	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	-	-	-	-	1.1
	5	-	-	*	*	*	*	*	*	*	-	-	-	-	-	0.2
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL---	*	*	0.1	0.3	0.4	0.9	2.1	1.6	0.3	*	*	-	-	-	5.9

* Less than 0.05 percent.

Table 14. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	3	-	*	*	*	*	0.1	0.2	0.2	*	*	*	-	-	-	0.7
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	*	*	*	*	0.2	0.3	0.5	0.4	0.1	*	-	-	-	1.6
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.5
	3	-	*	*	*	0.1	*	*	*	*	*	*	*	-	-	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	0.1	0.1	*	0.1	0.1	0.2	0.1	0.1	*	-	-	0.8
33	1-2	-	*	*	*	*	*	*	0.2	0.2	0.2	0.1	*	-	-	0.7
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL	-	*	*	0.1	0.1	*	0.1	0.3	0.3	0.3	0.2	*	-	-	1.6
43	1-2	*	*	*	0.1	0.1	*	*	*	*	*	*	*	-	-	0.2
	3	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	*	-	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL	*	*	0.1	0.3	0.3	0.1	0.1	0.1	*	*	*	*	-	-	1.1
53	1-2	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	-	-	0.5
	3	*	0.1	0.2	0.2	0.2	0.2	0.3	0.1	*	*	-	*	-	-	1.5
	4	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	-	-	-	0.6
	5	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	*	0.1	0.3	0.5	0.5	0.5	0.5	0.2	0.1	*	*	*	-	-	2.7
63	1-2	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	-	0.2
	3	*	*	0.1	0.1	0.1	0.2	0.1	0.1	*	*	*	-	-	-	0.7
	4	*	*	*	0.1	*	*	*	*	*	*	-	-	-	-	0.2
	5	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
	6	-	*	*	*	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	*	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL	*	*	0.1	0.2	0.1	0.3	0.2	0.1	*	*	*	-	-	-	1.1
24-54	1-7	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	1.0
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.3
	8 2/	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
TOTAL, ALL		*	0.5	1.8	3.9	4.9	5.8	10.0	16.4	21.4	22.5	12.1	0.7	*	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.4
		Percent Tenderable														61.8
Bark - Level 1	12.4															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

118,044 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.0	1.4	1.1	0.3	*	*	-	-	4.2
	3	-	-	-	*	*	0.4	1.8	3.5	2.8	1.1	0.2	*	-	-	9.8
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.1	0.7	2.8	5.1	4.0	1.5	0.2	*	-	-	14.5
31	1-2	-	-	-	*	0.1	0.6	1.5	1.4	0.7	0.1	*	-	-	-	4.5
	3	-	-	-	*	0.3	3.3	11.4	15.1	9.2	2.6	0.3	*	-	-	42.2
	4	-	-	-	*	*	0.3	1.6	2.9	2.4	1.0	0.2	*	-	-	8.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.4	4.2	14.6	19.6	12.5	3.7	0.4	*	-	-	55.5
41	1-2	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.8
	3	-	-	-	*	0.2	2.2	5.4	4.8	2.4	0.6	*	-	-	-	15.6
	4	-	-	-	*	*	0.4	1.7	2.0	1.4	0.5	*	-	-	-	6.1
	5	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL---	-	-	-	*	0.3	2.7	7.4	7.3	4.0	1.1	0.1	-	-	-	22.9
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	-	1.1
	4	-	-	-	*	-	*	0.2	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.1	0.3	0.6	0.5	0.2	*	*	*	-	-	1.7
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	0.1	0.6	1.1	0.6	0.2	*	*	*	-	-	2.7
	4	-	-	-	*	*	0.2	0.6	0.5	0.3	0.1	*	-	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	0.1	0.9	1.7	1.1	0.5	0.1	*	*	-	-	4.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	*	1.0	9.0	27.4	33.8	21.3	6.6	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.7															Average Staple 33.9
Bark - Level 2	"															Percent Tenderable 79.5
Grass - Level 1	1.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

268,204 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.5	4.1	3.6	1.0	0.1	*	*	-	-	10.5
	3	-	-	-	-	0.1	0.7	2.5	3.1	1.3	0.2	*	*	-	-	7.9
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.3	2.2	6.7	6.8	2.4	0.3	*	*	-	-	18.7
31	1-2	-	-	-	-	0.3	2.3	4.9	3.6	1.2	0.1	*	-	-	-	12.4
	3	-	-	-	-	0.4	3.5	11.4	13.4	5.2	0.7	*	*	-	-	34.7
	4	-	-	-	-	*	0.3	1.0	1.9	1.0	0.2	*	*	-	-	4.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.7	6.0	17.4	19.0	7.4	1.0	*	*	-	-	51.6
41	1-2	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	0.2	1.3	4.5	5.6	2.2	0.3	*	*	-	-	14.1
	4	-	-	-	-	0.1	0.4	1.1	1.5	0.8	0.1	*	-	-	-	4.0
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.3	2.1	6.4	7.8	3.2	0.5	*	*	-	-	20.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.2	0.3	0.2	*	*	*	-	-	-	0.9
61	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.6	1.3	1.1	0.4	0.1	*	*	-	-	3.6
42	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.5	1.3	1.1	0.4	*	*	-	-	-	3.5
52	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3

* Less than 0.05 percent.

Table 16. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		LEAF	STAPLE														TOTAL		
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2		-	-	-	-	*	*	*	-	-	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	4		-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	6		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	*	*	*	*	*	-	-	-	-	*			
13 & 23	1-2		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	*	*	*	*	*	-	-	-	-	*			
33	1-2		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	-	-	-	-	0.1			
	4		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	-	-	-	*	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	*	*	*	*	*	*	-	-	-	0.1			
43	1-2		-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	*	-	-	-	-	0.1			
	4		-	-	-	-	*	*	*	*	*	-	-	-	-	*			
	5		-	-	-	-	-	*	*	*	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	*	-	-	-	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	*	*	*	*	*	*	-	-	-	0.1			
53	1-2		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	3		-	-	-	-	*	*	*	*	-	-	-	-	-	*			
	4		-	-	-	-	-	*	*	*	-	-	-	-	-	*			
	5		-	-	-	-	-	-	*	*	*	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	*	*	*	*	*	-	-	-	-	*			
63	1-2		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	3		-	-	*	-	-	*	*	-	-	-	-	-	-	*			
	4		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	5		-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—			-	-	-	-	-	*	*	*	-	-	-	-	-	*			
24-54	1-7		-	-	-	-	*	*	*	*	*	-	-	-	-	*			
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL, ALL—			-	-	-	-	1.6	12.0	33.8	36.5	14.0	2.0	0.1	*	-	100.0			
EXTRANEEOUS MATTER																	Average Staple	33.6	
																	Percent Tenderable	77.2	
Bark - Level 1			0.3																
Bark - Level 2			-																
Grass - Level 1			0.3																
Grass - Level 2			-																
Prep - Level 1			*																
Prep - Level 2			*																
Other - Level 1			*																
Other - Level 1			-																

683,787 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.5	1.8	4.2	6.3	6.0	3.7	1.7	0.8	0.1	*	*	25.2
	3	*	*	0.1	0.4	1.0	1.9	2.5	2.4	1.6	1.0	0.8	0.1	*	*	12.0
	4	*	*	*	0.1	0.2	0.4	0.5	0.4	0.3	0.2	0.2	*	*	-	2.3
	5	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL---		*	*	0.3	1.1	3.1	6.5	9.4	8.9	5.6	2.9	1.8	0.2	*	*	39.8
31	1-2	*	*	*	*	0.2	0.9	1.6	1.7	0.9	0.3	0.1	*	*	-	5.8
	3	-	*	*	0.1	0.5	1.3	2.1	1.9	1.0	0.5	0.4	*	*	*	7.9
	4	*	*	*	0.1	0.3	0.5	0.6	0.5	0.3	0.2	0.2	*	*	*	2.8
	5	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	-	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL---		*	*	0.1	0.3	1.0	2.8	4.5	4.2	2.3	1.1	0.7	0.1	*	*	17.2
41	1-2	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	-	1.5
	3	*	*	*	0.1	0.4	1.0	1.9	1.8	0.9	0.3	0.1	*	*	*	6.5
	4	-	*	*	0.1	0.4	0.9	1.4	1.3	0.7	0.4	0.3	*	*	*	5.5
	5	-	*	*	*	0.2	0.5	0.6	0.5	0.2	0.1	*	*	*	*	2.2
	6	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	0.2	1.0	2.8	4.5	4.1	2.0	0.8	0.5	*	*	*	16.1
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.6
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	5	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		-	*	*	*	*	0.2	0.4	0.5	0.3	0.1	0.1	*	*	-	1.5
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	*	*	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	0.2	0.4	0.7	0.8	0.5	0.2	*	*	*	-	-	2.8
	3	*	*	*	0.1	0.3	0.5	0.5	0.5	0.2	*	*	*	*	-	2.2
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	-	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL---		*	*	0.1	0.3	0.8	1.3	1.4	1.1	0.4	0.1	*	*	*	-	5.6
32	1-2	*	*	*	0.1	0.1	0.3	0.3	0.2	0.1	*	*	*	*	-	1.1
	3	*	*	0.1	0.2	0.5	0.9	1.0	0.5	0.2	*	*	*	*	-	3.5
	4	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	*	*	-	1.6
	5	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	0.1	0.4	1.0	1.7	1.8	1.0	0.3	0.1	*	*	*	-	6.6
42	1-2	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-	0.6
	3	*	*	*	0.2	0.6	1.1	1.3	0.8	0.2	*	*	*	*	-	4.3
	4	*	*	*	0.2	0.5	1.1	1.2	0.7	0.2	*	*	*	*	-	4.0
	5	*	*	*	*	0.2	0.3	0.4	0.2	0.1	*	*	*	*	-	1.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	0.1	0.5	1.3	2.7	3.2	1.9	0.6	0.1	*	*	*	-	10.4
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	4	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	0.1	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	*	-	1.2

* Less than 0.05 percent.

Table 17. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	-	*	-	-	-	*
	6	-	-	*	*	*	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.4
43	1-2	*	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	4	*	*	*	*	0.1	0.1	*	*	*	*	*	-	-	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	-	*	*	*	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	-	-	0.7
53	1-2	*	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
63	1-2	-	-	-	*	*	*	*	-	-	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	*	*	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL—		-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
	8 2/	-	-	*	*	*	*	*	*	*	-	*	-	-	-	*
TOTAL, ALL—		*	0.1	0.8	3.1	8.8	18.6	25.9	22.2	11.7	5.3	3.1	0.3	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														33.3
		Percent Tenderable														44.6
Bark - Level 1		11.8														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

2,790,128 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.9	1.4	1.2	0.8	0.1	-	-	-	4.5
	4	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	-	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	1.2	1.8	1.6	1.0	0.1	-	-	-	5.9
31	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	-	-	-	0.8
	3	-	-	-	-	*	0.5	5.6	11.3	14.9	12.0	2.7	*	-	-	47.0
	4	-	-	-	-	*	0.2	3.0	8.0	10.1	5.9	1.2	*	-	-	28.5
	5	-	-	-	-	*	*	0.3	0.8	0.8	0.3	*	-	-	-	2.4
	6	-	-	-	-	*	*	*	*	0.1	*	-	-	-	-	0.2
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.7	9.1	20.3	26.1	18.5	4.0	*	-	-	78.8
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.3	0.9	1.7	1.4	0.3	*	-	-	4.7
	4	-	-	-	-	*	*	0.4	1.6	2.9	2.1	0.5	*	-	-	7.5
	5	-	-	-	-	*	*	0.3	0.6	0.6	0.3	*	-	-	-	1.9
	6	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.1	3.3	5.4	3.9	0.8	*	-	-	14.5
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through November 30, 2000

QUALITY		LEAF	STAPLE														TOTAL		
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	4		-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	-	*	-	-	-	-	-	*			
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	4		-	-	-	-	-	*	*	*	-	-	-	-	-	*			
	5		-	-	-	-	-	-	-	-	*	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	*	*	-	-	-	-	-	*			
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	*	*	-	-	-	-	-	*			
	4		-	-	-	-	-	*	*	-	-	-	-	-	-	*			
	5		-	-	-	-	-	-	*	-	-	-	-	-	-	*			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	*	*	-	-	-	-	-	*			
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4		-	-	-	-	-	*	-	-	-	-	-	-	-	*			
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	*	-	-	-	-	-	-	-	*			
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-			
24-54	1-7		-	-	-	-	-	-	*	-	*	-	-	-	-	*			
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	8 2/		-	-	-	-	-	*	*	*	*	-	-	-	-	*			
TOTAL, ALL----			-	-	-	*	*	1.0	11.5	25.6	33.4	23.5	4.9	*	-	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.8	
																	Percent Tenderable	83.1	
Bark - Level 1			1.0																
Bark - Level 2			*																
Grass - Level 1			3.6																
Grass - Level 2			*																
Prep - Level 1			*																
Prep - Level 2			-																
Other - Level 1			*																
Other - Level 1			-																

90,662 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 30, 2000

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE 24 & below	*	*	-	*	-	-	-	-	*
25	*	*	-	*	-	*	-	-	*
26	*	*	*	*	-	*	-	*	*
27	*	*	*	*	-	*	-	*	-
28	0.1	*	*	*	*	*	*	*	*
29	0.1	*	*	*	*	*	*	*	*
30	0.3	*	*	*	*	*	*	0.1	*
31	0.4	*	0.1	0.1	*	*	*	0.1	0.1
32	0.9	0.1	0.1	0.1	*	*	*	0.2	0.1
33	1.6	0.1	0.2	0.1	0.1	*	0.1	0.3	0.2
34	1.9	0.1	0.3	0.2	0.1	0.1	0.1	0.5	0.3
35	3.4	0.2	0.5	0.3	0.2	0.2	0.3	0.9	0.8
36	3.6	0.2	0.9	0.6	0.3	0.3	0.5	1.2	1.4
37	4.5	0.3	1.3	1.1	0.4	0.5	0.6	1.8	2.1
38	5.7	0.5	1.9	1.9	0.7	0.9	1.0	2.5	3.1
39	5.2	0.8	2.7	3.4	1.0	1.4	1.3	3.4	4.6
40	6.0	1.3	3.9	5.6	1.6	2.3	2.0	4.4	6.4
41	6.2	2.0	5.1	8.2	2.5	3.3	2.9	5.4	8.2
42	6.3	2.9	6.4	11.2	3.2	4.8	3.9	6.6	9.6
43	7.3	4.1	7.9	13.6	4.2	6.8	5.8	7.7	10.6
44	7.1	5.4	9.2	13.4	4.8	9.3	7.1	8.7	10.7
45	6.8	6.7	10.0	10.8	6.0	11.4	8.4	9.1	10.5
46	6.9	8.1	10.9	8.2	7.7	12.9	10.2	9.2	9.2
47	6.2	8.9	10.7	6.1	9.4	13.4	11.4	9.0	7.4
48	6.0	10.0	9.7	4.6	12.7	12.1	12.6	8.3	5.8
49	4.8	10.4	7.6	3.7	12.9	9.2	11.1	7.0	3.9
50	3.4	9.9	5.1	2.5	11.5	5.8	8.4	5.4	2.5
51	2.5	9.2	3.3	1.7	10.2	3.2	6.1	3.8	1.4
52	1.5	7.8	1.6	1.2	6.4	1.4	3.7	2.3	0.8
53	0.7	5.8	0.5	0.7	2.9	0.5	1.9	1.2	0.2
54	0.3	3.4	0.2	0.4	1.0	0.2	0.5	0.5	0.1
55	*	1.3	*	0.2	0.1	*	*	0.2	*
56	*	0.5	*	0.1	*	*	-	*	*
57	*	0.1	*	*	*	*	-	*	-
58	*	*	*	*	*	*	-	*	-
59	*	*	-	*	*	-	-	-	-
60 & above	*	*	-	*	*	-	-	-	-
Average mike	42.7	48.0	45.1	44.0	47.5	45.9	46.6	44.9	43.7
FIBER STRENGTH 1/									
17 & below	*	-	-	-	-	*	-	-	-
18	*	*	-	-	-	*	-	-	-
19	*	*	-	*	-	*	-	*	-
20	*	*	*	*	*	*	-	*	-
21	*	*	*	*	-	*	-	*	-
22	0.1	0.3	*	*	*	0.2	*	0.2	*
23	0.4	0.9	0.3	*	0.2	1.7	0.5	0.9	0.1
24	2.5	3.5	1.5	0.2	1.4	5.6	3.1	3.6	1.1
25	12.2	9.1	6.5	0.8	6.7	10.8	10.6	12.0	6.1
26	26.2	14.8	18.5	2.0	17.7	15.6	22.7	26.1	19.5
27	27.3	17.9	31.4	3.4	26.4	18.5	28.5	29.4	32.4
28	18.3	18.1	25.9	4.3	24.2	18.2	20.2	17.6	25.7
29	8.6	15.1	11.0	5.1	14.0	14.2	9.2	7.1	10.7
30	3.2	10.6	3.5	7.2	6.0	8.6	3.3	2.2	3.2
31	0.9	5.8	1.0	12.9	2.3	4.2	1.1	0.7	0.8
32	0.2	2.5	0.3	20.0	0.7	1.7	0.4	0.2	0.2
33	*	0.9	0.1	21.3	0.2	0.6	0.2	0.1	*
34	*	0.3	*	13.7	0.1	0.2	*	*	*
35	*	0.1	*	6.0	*	*	*	*	*
36 & above	*	*	*	3.2	-	*	*	*	-
Average strength	26.9	27.8	27.3	31.8	27.5	27.4	27.0	26.8	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 30, 2000

MIKE AND FIBER STRENGTH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE								
24 & below	*	*	0.2	*	-	0.1	*	*
25	*	*	0.2	*	-	0.1	*	*
26	0.1	*	0.2	-	*	0.2	*	0.1
27	0.1	*	0.3	*	*	0.4	0.1	0.1
28	0.6	*	0.5	*	*	0.6	0.2	0.2
29	0.8	0.1	0.6	0.1	0.1	0.9	0.3	0.2
30	0.8	0.2	0.8	0.1	0.1	1.3	0.8	0.4
31	0.9	0.3	0.9	0.2	0.3	1.8	1.2	0.5
32	1.1	0.5	0.9	0.2	0.5	2.3	1.7	0.7
33	1.9	1.0	1.2	0.4	1.0	3.1	2.7	1.0
34	1.9	1.6	1.4	0.7	1.5	4.0	4.0	1.3
35	3.5	2.7	1.7	1.2	2.5	4.8	5.6	1.9
36	4.6	4.2	1.9	1.7	3.6	5.8	7.9	2.4
37	5.5	6.0	2.6	2.4	4.8	6.5	9.6	3.1
38	6.3	8.0	3.5	3.5	6.3	7.2	11.3	3.9
39	7.4	9.8	4.4	4.8	7.5	7.7	12.0	4.7
40	8.3	11.3	5.1	6.0	8.7	7.7	11.1	5.7
41	8.1	11.9	6.3	7.4	9.6	7.6	9.6	6.6
42	9.1	11.7	7.0	8.8	9.5	7.2	7.4	7.4
43	8.4	10.1	7.2	10.1	9.3	6.5	5.9	8.1
44	7.1	7.8	7.9	10.7	8.5	5.6	4.1	8.4
45	6.3	5.5	8.2	10.5	7.3	4.7	2.3	8.1
46	4.8	3.6	8.1	9.5	5.9	3.9	1.2	7.8
47	3.6	2.1	7.4	8.0	4.4	3.1	0.6	7.2
48	3.0	1.0	6.7	5.9	3.2	2.3	0.2	6.4
49	2.4	0.5	6.1	3.6	2.2	1.8	0.1	5.1
50	1.8	0.1	4.5	2.1	1.4	1.1	*	3.7
51	1.0	0.1	2.5	1.1	0.8	0.7	*	2.5
52	0.4	*	1.1	0.5	0.5	0.4	*	1.5
53	0.2	*	0.5	0.1	0.1	0.2	-	0.8
54	0.1	*	0.2	*	0.1	0.1	-	0.3
55	*	*	*	*	*	*	-	0.1
56	*	*	*	*	*	*	*	*
57	*	-	*	*	-	*	-	*
58	*	*	-	-	-	*	-	*
59	-	*	*	*	-	*	-	*
60 & above	-	-	-	-	-	-	-	*
Average mike	41.1	40.7	43.2	43.4	41.9	39.8	38.8	43.4
FIBER STRENGTH 1/								
17 & below	-	-	*	-	-	*	-	*
18	-	-	0.1	-	-	*	-	*
19	-	-	0.1	-	-	*	-	*
20	-	*	0.3	*	-	0.1	*	*
21	*	0.1	0.6	0.1	-	0.2	0.1	0.1
22	*	0.5	1.1	0.2	*	0.7	0.3	0.3
23	0.2	3.0	2.2	1.1	0.3	2.0	2.4	1.1
24	0.8	10.4	4.4	4.7	2.0	5.4	9.0	3.8
25	1.5	19.8	7.3	12.5	8.3	12.1	19.2	9.9
26	3.1	24.1	10.4	21.9	20.7	17.7	25.9	18.2
27	7.4	19.1	12.2	23.9	31.3	18.5	22.4	22.0
28	12.4	11.3	12.4	18.0	23.9	16.3	11.8	17.2
29	14.5	6.3	11.5	10.2	9.8	11.9	5.3	9.8
30	16.6	3.3	10.1	4.7	2.8	7.5	2.3	5.3
31	17.6	1.4	8.8	1.9	0.7	4.2	0.9	3.6
32	13.9	0.5	7.5	0.6	0.2	2.1	0.3	3.2
33	7.9	0.1	5.7	0.2	*	0.9	0.1	2.8
34	3.2	*	3.7	*	*	0.3	*	1.7
35	0.7	*	1.4	*	*	*	*	0.7
36 & above	0.2	*	0.2	*	-	*	*	0.4
Average strength	30.0	26.3	28.5	27.0	27.1	27.3	26.3	27.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through November 30, 2000

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA :	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	-	*	-	-	*	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	*	*	-
75	*	*	-	*	-	*	*	*	-
76	*	*	*	*	*	*	*	*	*
77	0.2	0.1	*	*	0.1	*	0.1	*	*
78	1.4	0.7	0.2	0.2	0.5	0.8	0.9	0.4	0.1
79	6.9	4.6	1.8	0.9	3.1	6.2	6.0	3.5	1.2
80	21.5	18.6	11.0	5.1	15.3	21.5	23.0	17.2	8.3
81	35.2	37.7	33.2	18.7	33.3	36.2	38.5	39.2	32.5
82	26.0	28.6	37.3	40.9	32.2	25.9	24.5	30.3	40.9
83	8.0	8.5	14.5	27.5	13.4	8.2	6.2	8.4	14.9
84	0.9	1.1	2.0	6.1	2.0	1.1	0.7	0.9	2.0
85	*	0.1	0.1	0.6	*	*	*	*	0.1
86	*	*	-	*	-	-	*	-	-
87	*	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	81.2	81.6	82.1	81.4	81.1	81.0	81.2	81.7
TRASH 2/									
00	0.1	0.2	*	*	*	*	0.9	*	*
01	10.0	40.8	2.4	21.3	5.2	1.0	15.2	5.8	2.6
02	23.8	35.2	19.7	39.7	21.2	13.8	25.7	24.1	19.8
03	25.1	14.3	30.8	23.2	27.7	27.3	23.1	28.6	32.3
04	18.4	5.7	23.2	10.1	21.6	25.3	15.6	20.1	24.6
05	11.0	2.2	12.7	3.7	12.9	16.3	9.1	11.2	12.5
06	5.8	0.8	6.0	1.3	6.2	8.4	4.9	5.3	5.1
07	3.1	0.4	2.7	0.5	2.8	4.1	2.6	2.5	1.9
08	1.4	0.2	1.2	0.1	1.3	1.9	1.4	1.1	0.7
09	0.5	0.1	0.6	*	0.6	0.9	0.8	0.6	0.3
10	0.3	0.1	0.3	*	0.3	0.5	0.4	0.3	0.1
11	0.2	*	0.2	*	0.2	0.2	0.3	0.2	0.1
12	0.1	*	0.1	*	0.1	0.1	0.2	0.1	*
13	*	*	*	*	*	*	*	*	*
14	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*	*	*
Average trash	0.34	0.20	0.37	0.24	0.36	0.41	0.32	0.35	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through November 30, 2000

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	*	-	*
73	-	-	*	-	-	*	-	*
74	-	-	*	-	-	*	-	*
75	*	-	0.1	-	-	*	-	*
76	*	*	0.6	*	*	0.2	-	*
77	0.1	*	2.1	*	*	1.0	-	0.3
78	1.0	0.5	5.0	0.7	1.5	4.1	0.3	1.4
79	3.4	4.5	9.9	6.5	7.4	12.4	2.8	5.9
80	13.4	19.1	18.9	24.5	22.9	25.1	14.0	18.1
81	29.3	37.1	28.8	35.0	38.5	31.7	32.6	33.3
82	31.2	29.5	24.1	23.6	23.8	19.5	34.3	28.7
83	17.5	8.4	9.0	8.1	5.4	5.4	14.0	10.5
84	3.7	0.8	1.4	1.4	0.4	0.6	1.8	1.6
85	0.4	*	0.1	0.1	*	*	0.1	0.1
86	*	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.6	81.2	80.8	81.0	80.9	80.6	81.5	81.2
TRASH 2/								
00	0.1	-	0.1	-	*	*	-	0.1
01	24.2	0.3	38.3	2.2	3.8	15.6	0.1	10.4
02	31.4	6.8	29.3	17.1	22.0	26.7	3.6	23.8
03	18.2	20.4	12.7	28.8	30.2	19.9	15.2	24.7
04	9.6	25.0	7.1	24.8	22.3	13.5	23.5	18.1
05	6.0	20.1	4.6	14.4	12.0	9.0	22.5	10.8
06	3.9	12.4	2.9	6.9	5.5	5.7	15.5	5.7
07	2.7	6.8	1.9	3.0	2.3	3.6	9.2	3.0
08	1.8	3.6	1.1	1.3	1.0	2.2	4.7	1.5
09	1.0	1.9	0.7	0.7	0.5	1.4	2.6	0.8
10	0.6	1.0	0.4	0.3	0.2	0.8	1.3	0.4
11	0.3	0.6	0.3	0.2	0.1	0.5	0.8	0.3
12	0.2	0.3	0.2	0.1	0.1	0.3	0.4	0.2
13	*	0.2	0.1	0.1	*	0.2	0.2	0.1
14	*	0.1	0.1	*	*	0.1	0.1	*
15	*	0.1	0.1	*	*	0.1	0.1	*
16	*	*	*	*	*	*	*	*
17	-	*	*	*	*	*	*	*
18 & above	-	0.1	0.1	*	*	0.1	*	*
Average trash	0.29	0.47	0.25	0.38	0.35	0.34	0.51	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of grade, staple, mike and strength of *American Pima* cotton, by state and U.S. for classings through November 30, 2000

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	23.2	18.7	2.4	5.0	17.8
02	66.8	68.5	53.1	60.5	67.8
03	7.0	10.7	41.7	28.0	12.0
04	2.5	1.7	2.7	6.4	2.0
05	0.1	0.3	0.1	0.2	0.3
06	0.2	*	-	*	*
07	0.1	0.1	-	*	*
Staple					
40 and shorter	-	-	-	0.1	*
42	0.1	*	-	0.7	0.1
44	42.4	16.6	27.4	29.6	18.1
46	50.6	70.1	56.6	65.2	69.3
48 and longer	7.0	13.3	16.0	4.3	12.5
Average staple	45.3	45.9	45.8	45.5	45.6
Mike					
24 and below	-	-	-	-	-
25-26	-	*	-	-	*
27-29	0.4	0.1	-	0.2	0.2
30-32	2.2	1.2	0.1	0.8	1.2
33-34	4.3	1.2	1.7	1.7	1.3
35-36	12.1	2.3	4.6	7.7	2.9
37-42	75.3	66.4	63.8	61.5	66.2
43-49	5.6	28.7	29.8	28.1	28.2
50-52	-	*	-	-	*
53 and above	-	-	-	-	-
Average mike	39	41	41	41	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	*	-	-	*
31	-	*	-	-	*
32	-	*	-	*	*
33	0.2	*	-	0.3	0.1
34	1.3	0.1	0.3	1.1	0.2
35	3.4	0.4	2.2	2.3	0.6
36	8.5	1.0	4.9	5.1	1.5
37	13.6	2.9	11.8	13.2	3.9
38	18.9	7.1	18.2	22.8	8.5
39	20.8	15.8	22.3	23.4	16.5
40	16.0	22.0	16.6	15.6	21.4
41	11.9	23.0	11.1	9.5	21.7
42	3.6	15.8	5.1	5.1	14.7
43	1.1	8.2	4.5	0.9	7.5
44	0.8	3.0	2.1	1.1	2.7
45 & above	0.4	0.2	-	0.4	0.2
Average strength	38.7	40.5	39.2	38.8	39.3
Extraneous matter					
Grass	0.6	1.0	3.1	1.1	1.0
Spindle Twist	0.1	0.1	0.7	*	0.1
Preparation	-	0.4	-	*	0.3

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona -----	4,690
California -----	188,047
New Mexico -----	1,438
Texas -----	14,050
United States -----	208,225